


SPRTMTF/RO

SPIRAL WOUND
PIPE LINER

Structural, Light Weight, Tight Fit Liner for Gravity Pipelines from 40" - 60"

40" - 60" • TIGHT FIT LINING • FULLY STRUCTURAL



1-866-627-7772

www.sekisui-spr.com

sekisui.info@sekisui-spr.com

Spiral Wound

Technology Overview



Gravity
Pipe Renewal

Live Flow
Installations

Zero
Chemicals

Spiral Wound pipe liners are a structural rehabilitation solution for gravity pipe applications from 6" - 200"+. Utilizing machinery, a continuous strip of PVC is constructed as a uniform liner. Spiral Wound lining is 100% trenchless; only existing access points are used for rehabilitation.



SEWER



STORM DRAIN



CULVERT

Spiral Wound

Lining Methods

SPR™EX

6" - 42"
No Grout

SPR™TF/RO

40" - 60"
No Grout


SPR™

32" - 200"+
Round/Non-Round



1-866-627-7772

www.sekisui-spr.com



SPR™TF/RO

Technology Overview


40" - 60"
Diameters

Tight Fit
Lining

Fully
Structural

SPR™TF/RO is a Spiral Wound pipe lining method for mid-range diameter sewers, storm drains and culverts. Since the profile is installed directly against the pipe wall, no annular space grouting is required.


SPR™TF/RO is an entirely mechanical process that does not require curing or chemicals.



Installation

Methods

As the winding machine travels the pipeline, the continuous PVC profile strip is locked in place. The SPR™TF/RO method features 2 different winding machines depending on the project; a lightweight, compact machine or one featuring rotating hydraulic arms. Both machines traverse the pipeline while constructing a tight-fit liner.





5000 Austell-Powder Springs Rd.
Austell, GA 30106



www.sekisui-spr.com
sekisui.info@sekisui-spr.com



1-866-627-7772

FOLLOW OUR CHANNELS FOR THE LATEST ON
SPIRAL WOUND PIPE LINING

